



DAILY REPORT OF WEATHER AND FLOOD SITUATION

Date: 11.09.2025 at 16.00 Hrs.

(I) BRIEF SUMMARY:

A	Details of pumps				
	Permanent		Mobile pumps		Contractual pumps
	Total	Operated	Total	Operated	Operated
	42	10	162	46	70

B	Detail of Complaints received in Central Flood Control Room					
	Received		Transfer to other department	Related to I&FC Department		
				Total	Resolved	Unresolved
	Today	0	0	0	0	0
	Till date	106	48	58	49	9

C	Status of action at Vulnerable points			
	Total Nos.	Nos. at which action required	Description of action with locations	Remarks
	17	1	Vijav Ghat: Regulator closed	

D	Details of boats deployed	
	Total Available	Deployed
	40	35

E	Flood Forecast/Advisory No. 36	
	Ref.	
	No.1/1/5/UYD/2025/2198-2226	As per Forecast No. 36 dated 10.09.2025 received at 7:10 PM from Central Water Commission, Water level is likely to be 204.50m at Old Railway Bridge on 11.09.2025 by 08.00 PM, thereafter likely to fall.

(II) WEATHER REPORT (As provided by I.M.D)

A	Rainfall Forecast					
S. No.	Basin Name	Sub-basin Name	Intensity (I) and Spatial Distribution (D)			
			(11/09/2025)		(12/09/2025)	
			Intensity	No of location	Intensity	No of location
1	Upper Yamuna Catchment	Yamuna upto Hathnikund	Very Light Rainfall	One or two places	Very Light Rainfall	One or two places
2	Lower Yamuna Catchment-I	Yamuna upto Mathura	NIL	DRY	NIL	DRY
3	Sahibi Nadi Catchment	Sahibi Nadi	NIL	DRY	NIL	DRY
B	Rainfall in New Delhi, Safdarjung (SFD) in mm					
During Last 24 Hrs				0.0		
Till Date from 1st June, 2025				850.8		
Normal (Till Date from 1st June, 2025)				588.8		
Annual Average				648.90		
LOCAL FORECAST FOR DELHI & NEIGHBOURHOOD:						
PARTLY CLOUDY SKY. SUSTAINED SURFACE WINDS 20-30 KMPH GUSTING TO 40 KMPH. TODAY'S MAXIMUM AND TOMORROW'S MINIMUM TEMPERATURES WOULD BE AROUND 34 AND 25 DEGREE CELSIUS RESPECTIVELY						

(III) GAUGE AND DISCHARGE DATA OF BENCHMARK SITES ON 11.09.2025

S. No.		Location	Gauge in Meters		Discharge in cusecs	Bench Mark for Danger/Warning level	Remark
(A)	RIVER YAMUNA		U/S	D/S			
	a)	Tajewala/Hathni Kund (16.00 Hrs.)			24479	1 st warning – 1 lakh cusecs 2 nd warning – 3 lakhs cusecs 3 rd warning- 5 lakh cusecs	Max in 24 hrs 27477
	b)	Old Rly Bridge (16.00 Hrs.)	204.40			Warning Level- 204.50 m. Danger Level- 205.33 m.	Highest Flood level recorded- 208.66m. in 2023 at ORB
(B)	RIVER SAHIBI						
	a)	Masani (08.00 Hrs.)	239.76				R/F-NIL

(IV) GAUGE AND DISCHARGE DATA OF SOME IMPORTANT SITES ON 11.09.2025

S. No.		Location	Gauge in Meters		Discharge in cusecs	Bench Mark for Danger/Warning level	Remark
(A)	RIVER YAMUNA		U/S	D/S			
	a)	Somb River (6 Hrs.)			974		
	b)	Palla (16.00 Hrs.)	210.050				
	c)	Jhangola (16.00 Hrs.)	209.050				
	d)	Jagatpur Bund (16.00 Hrs.)	206.750				
	e)	L.F. Bund RD. 5222 (8.00 Hrs.)	DRY				
		L.F. Bund RD.0 (8.00 Hrs.)	DRY				
	f)	Wazirabad Barrage (8.00 Hrs.)	205.89	205.74	42440		
	g)	Yamuna Barrage	N/A	N/A	N/A		
	h)	Okhla Barrage (6.00 Hrs.)	198.40	198.35	58375		
	i)	Shahadara Out fall drain (Atta Bridge) (8.00 Hrs.)	197.600				
	j)	Jaitpur (Ali Drain) (8.00 Hrs.)	197.700				
(B)	RIVER SAHIBI (8.00 Hrs.)						
	a)	Dadri Bridge NO. 1 Dadri Bridge No. 2	212.70				R/F-NIL
(C)	NAJAFGARH DRAIN (8.00 Hrs.)						
	a)	i) Dhansa Old Regulator RD-0	211.125	211.100	1039		
		ii) Dhansa Old Regulator RD-0	211.100	211.000	1011		
		iii) Dhansa New Regulator RD-0	211.150	211.100	3886		R/F-NIL
	b)	Chhawla Bridge RD-17905m	211.000				
	c)	Kakraula Regulator RD-30100m	210.800	210.800			11 Gate Open
	d)	Basaidarapur Bridge RD-45316m	210.600				
	e)	Bharat Nagar Bridge RD-51237m	208.275	208.250	2288		
	f)	Timarpur Bridge RD-56704m	206.450	206.425	2524		
(D)	TRUNK DRAIN N0.1 (8.00 Hrs.)						
	a)	R.D.6550 M.	N/A				
	b)	RD. 8950 M.	203.70				
	c)	RD.10330M	203.80				
(E)	CHILLA REGULATOR (8.00 Hrs.) RD-5800M		198.950	198.450			
(F)	GHAZIPUR DRAIN (8.00 Hrs.)						
	a)	RD.6157M.	N/A				

Copy forwarded for kind information to:

1. Pr. Secretary to Hon'ble Lieutenant Governor of Delhi.
2. Spl. Secretary to Hon'ble Chief Minister Delhi.
3. Ms. Bansuri Swaraj, Hon'ble MP, H-4 Dhawandeep Building, 6 Jantar Mantar Road Delhi NCT of Delhi.
4. Shri Praveen Khandelwal, Hon'ble MP, C-89 Ground Floor Anand Niketan South Moti Bagh South West Delhi NCT of Delhi 110021.
5. Shri Ramvir Singh Bidhuri, Hon'ble MP, 1, Zalim Mohalla, Tughlakabad Village, City New Delhi, NCT of Delhi 110044.
6. Smt. Kamaljeet Sehrawat, Hon'ble MP, Plot No- 28-29 Nanda Enclave, Sector-19, Dwarka, Amber Hai South West Delhi NCT of Delhi 110075.
7. Shri Harsh Malhotra, Hon'ble MP, H -31 Naveen Shadara delhi NCT of Delhi 110032.
8. Shri Manoj Kumar Tiwari, Hon'ble MP, Flat No. 1603/1604, Shiv Shakti Apartment, Sundervan, Andheri West, Mumbai-400053,
9. Shri Yogender Chandolia, Hon'ble MP, House No.5528, Street No.74, Raigar Pura, Karol Bagh Central Delhi delhi NCT of Delhi - 110005.
10. Secretary to Shri Pravesh Sahib Singh Hon'ble Minister of Public Works Department, Legislative Affairs, Irrigation & Flood Control, Water and Gurudwara Elections, Govt. of NCT of Delhi.
11. Secretary to Shri Ashish Sood Hon'ble Minister of Home, Power, Urban Development, Education, Higher Education, Training & Technical Education, Govt. of NCT of Delhi.
12. Secretary to Shri Sardar Manjinder Singh Sirsa Hon'ble Minister of Industries, Food & Supplies, Environment, Forest & Wild Life, Govt. of NCT of Delhi.
13. Secretary to Shri Ravinder Singh Hon'ble Minister of Social Welfare, Welfare of SC & ST, Cooperative, Election, Govt. of NCT of Delhi.
14. Secretary to Sh. Kapil Mishra Hon'ble Minister of Law & justice, Labour, Employment, Development, Art, Culture & Language, Tourism, Govt. of NCT of Delhi.
15. Secretary to Dr. Pankaj Kumar Singh Hon'ble Minister of Health & Family Welfare, Transport, Information Technology, Govt. of NCT of Delhi.
16. Chief Secretary, Govt. of NCT of Delhi, Delhi Secretariat, New Delhi.
17. Secretary, DM-1 (Border Management), Ministry of Home Affairs North Block, Govt. of India, New Delhi.
18. ACS (Revenue) cum Divisional Commissioner, 5 Sham Nath Marg, Delhi.
19. Chairman, Ganga Flood Control Commission, Ministry of Water Resources, Sinchai Bhawan, 3rd Floor Patna-800015.
20. All ACS/Pr./Secretaries, Govt. of NCT of Delhi.
21. Commissioner, DMC, 4th Floor, SPM Marg, Civic Centre, JLN Marg, Minto Road, Delhi-02.
22. Commanding Officer, 17 Engineers Regiment, C/o 56 APO, Delhi Cantt. Delhi.
23. Vice Chairman, Delhi Development Authority, Vikas Sadan, INA, New Delhi.
24. ACS (PWD), Govt. of NCT of Delhi, 5th Level, B-Wing, Delhi Secretariat, IP Estate, New Delhi.
25. Addl. Chief Secretary (I&FC), 2nd Floor, Delhi Secretariat, Govt. of NCT of Delhi.
26. CEO, Delhi Jal Board, Varunalaya Building, Jhandewalan, New Delhi.
27. Member (R.M) Central Water Commission, Sewa Bhawan, R.K. Puram, New Delhi.
28. OSD to Chief Secretary, Govt. of NCT of Delhi.
29. Director (DM-1), MHA, Govt. of India, Lok Nayak Bhawan, Khan Market, Delhi.
30. Director (MP-1), Ganga Flood Control Commission, 3rd Floor, Patna-800015.
31. Chief Engineer (FM), CWC, Room No. 801 (N) Sewa Bhawan, R.K. Puram, New Delhi.
32. ACP, Command Room, Police Control Room, Police HQ, MSO Building, IP Estate New Delhi.
33. Joint Secretary (DM-1), Ministry of Home Affairs, North Block, Govt. of India, Delhi-01.
34. Information & Publicity Department, Govt. of Delhi, Civil Lines, Delhi.
35. DM (East) Delhi, L.M. Bund Office Complex, Shastri Nagar, Delhi-110031.
36. All Distt. Magistrates, Govt. of NCT of Delhi.
37. Member, Water Supply, Delhi Jal Board, Jhandewalan, New Delhi.
38. Member Drainage Delhi Jal Board, Varunalaya Building, Jhandewalan, New Delhi.
39. Engineer Member, Delhi Development Authority Vikas Sadan, INA, New Delhi.
40. Engineer-in-Chief, Public Work Department, Govt. of NCT of Delhi, M.S.O. Building, IP Estate, New Delhi.
41. Engineer-in-Chief, South Zone, MCD, Civic Centre, J.L. Nehru Marg, Minto Road, New Delhi-110002.
42. Engineer-in-Chief, North Zone, MCD, Civic Centre, J.L. Nehru Marg, Minto Road, New Delhi-110002.
43. Engineer-in-Chief, East Zone, MCD, Udhyog Sadan, Patpar Ganj, Industrial Area, New Delhi.
44. Police Control Room, (Police Hq.), Jai Singh Road, New Delhi-110001.
45. Control Room, Delhi Traffic Police, Vikas Minar, I.P. Estate, New Delhi.
46. Chief Engineer (I&F) Zone-I & II, Govt. of NCT of Delhi.
47. Chief Engineer (E&M-II), Delhi Jal Board, Civil Lines, Delhi.
48. Chief Engineer (Civil), 1501, 15th Floor, New Delhi Municipal Council of Delhi, Palika Kendra, Delhi.

49. Chief Engineer (Bridges), Northern Railway, Baroda House, New Delhi.
50. Chief Engineer, Okhla Head Works, U.P. Irrigation Deptt. Okhla, New Delhi.
51. Chief Engineer DSIIDC Govt. of NCT of Delhi, N-36, Bombay Life Building, Connaught Circus, Rajeev Chowk, Connaught Place, New Delhi, Delhi 110001.
52. Chief Engineer-I, DUSIB, Punarwas Bhawan, I.P. Estate, New Delhi-110002.
53. Director (FM-I), CWC, R.K. Puram, New Delhi.
54. Director (UT), CWC, R.K. Puram, New Delhi.
55. Superintending Engineer (Haryana Irrigation), 3 Alipur Road, Delhi.
56. Superintending Engineer, FC-III (I&FC), Govt. of Delhi to kindly upload on website of the I&FC Department.
57. Superintending Engineer, FC-I, II, & IV, Govt. of Delhi.
58. Incharge, Flood Control Room, SDM Preet Vihar, O/O D.M. (East), LM. Bund office Delhi.
59. SSW to CE-I/II (I&FC) Govt. of NCT of Delhi.
60. All Executive Engineers of I&FC Department, Govt. of NCT of Delhi.
61. Area Manager, Laxmi Nagar, Telephone, MTNL Near Radhu Palace, Scope Minar, East Guru Angad Nagar, Laxmi Nagar, Delhi-110092.
62. Natural Disaster Management Division, Room No. 147, Krishi Bhawan, New Delhi.
63. Operation Control Room, DMRC, Shastri Park, Delhi.
64. Assistant Engineer-III, CD-XIV, I&FCD, Govt. of Delhi.

**INCHARGE FLOOD CONTROL ROOM:
L.M. BUND OFFICE COMPLEX, SHASTRI NAGAR DELHI-110031.**