


CENTRAL FLOOD CONTROL ROOM IRRIGATION & FLOOD CONTROL DEPARTMENT GOVERNMENT OF NCT OF DELHI

L.M. BUND OFFICE COMPLEX, SHASTRI NAGAR, DELHI-110031.



Email: ceifcd@gmail.com,ifcfci@gmail.com,ifccdxiv@gmail.com



DAILY REPORT OF WEATHER AND FLOOD SITUATION

Date: 23.09.2025 at 16.00 Hrs.

(I) BRIEF SUMMARY:

Α	Details of pumps									
	Perr	nanent	Mo	bile pumps	Contractual pumps					
	Total	Operated	Total	Operated	Operated					
	42	11	162	40	66					

В	Detail of Complaints received in Central Flood Control Room								
	Received	Transfer to other department	Related to I&FC Department						
				Total	Resolved	Unresolved			
	Today	1	0	1	0	1			
	Till date	112	52	60	56	4			

С	Status of action at Vulnerable points									
	Total Nos.	Nos. at	which action	n required	Description of action with locations	Remarks				
	17		0							
D	Details of b	oats dep	loyed							
	Total Availa	ble	Deployed							
		40		31						

E	Flood Forecast/Advisory No.									
	R	ef.								
		NIL								

(II) WEATHER REPORT (As provided by I.M.D)

Α	Rainfall Forecast							
S.	Basin Name	Sub-basin		Intensity (I) and Spatial Distribution (D)				
No.		Name	(23/09/2025)		(24/09/2025)			
			Intensity		No of location	Intensity	No of location	
1	Upper Yamuna Catchment	Yamuna uptoHathniku nd	NIL	DRY		NIL	DRY	
2	Lower Yamuna Catchment-I	Yamuna upto Mathura	NIL	DF	RY	NIL	DRY	
3	SahibiNadi Catchment	SahibiNadi	NIL	DF	RY	NIL	DRY	
В	Rainfall in New Delhi, Sa	fdarjung (SFD) in i	mm					
Duri	ng Last 24 Hrs				0.0			
Till D	ate from 1st June, 2025				902.6			
Norr	nal (Till Date from 1st June, 202	629.7						
Annı	ual Average			648.90				
	AL FORECAST FOR DELHI & NEIG	HBOURHOOD:						

MAINLY CLEAR SKY. TODAY'S MAXIMUM AND TOMORROW'S MINIMUM TEMPERATURES WOULD BE AROUND 35 AND 24 DEGREE CELSIUS RESPECTIVELY.

(III) GAUGE AND DISCHARGE DATA OF BENCHMARK SITESON 23.09.2025

S. No.		Location	Gauge in	Gauge in Meters Dischar ge in cusecs		Bench Mark for Danger/ Warning level	Remark
(A)	RIV	ER YAMUNA	U/S	D/S			
	a)	Tajewala/HathniKund (16.00 Hrs.)			5804	1 st warning – 1 lakh cusecs 2 dwarning – 3 lakhs cusecs 3 dwarning- 5 lakh cusecs	Max in 24 hrs 9621
(B)	b)	Old Rly Bridge (16.00 Hrs.) ER SAHIBI	202.80			Warning Level- 204.50 m. Danger Level- 205.33 m.	Highest Flood level recorded- 208.66m. in 2023 at ORB
(D)	KIV.						
	a)	Masani(08.00 Hrs.)	239.76				R/F-NIL

(IV) GAUGE AND DISCHARGE DATA OF SOME IMPORTANT SITES ON 23.09.2025

S.	No.	Location	Gauge in	Meters	Dischar ge in cusecs	Bench Mark for Danger/ Warning level	Remark
(A)	RIV	ER YAMUNA	U/S	D/S			
	a)	Somb River (6 Hrs.)			1187		
	b)	Palla (16.00 Hrs.)	209.050				
	c)	Jhangola (16.00 Hrs.)	207.900				
	d)	Jagatpur Bund (16.00 Hrs.)	206.150				
	e)	L.F. Bund RD. 5222 (8.00 Hrs.)	DRY				
		L.F. Bund RD.0 (8.00 Hrs.)	DRY				
	f)	Wazirabad Barrage (8.00 Hrs.)	205.59	205.09	14980		
	g)	Yamuna Barrage	N/A	N/A	N/A		
	h)	Okhla Barrage (6.00 Hrs.)	200.50	196.55	21689		
	i)	Shahadara Out fall drain (Atta Bridge) (8.00 Hrs.)	Below				
	j)	Jaitpur(Ali Drain) (8.00 Hrs.)	Below				
(B)	RIV	ER SAHIBI (8.00 Hrs.)					
	a)	Dadri Bridge N0. 1 Dadri Bridge No. 2	212.58				R/F-NIL
(C)	NAJ	AFGARH DRAIN (8.00 Hrs.)					
	a)	i) DhansaOld Regulator RD-0	210.950	210.925	853		
		ii) Dhansa Old Regulator RD-0	210.900	210.800	803		
		iii) DhansaNew Regulator RD-0	210.950	210.900	3197		R/F-NIL
	b)	Chhawla Bridge RD-17905m	210.775				
	c)	Kakraula Regulator RD-30100m	210.650	210.650			11 Gate Open
	d)	Basaidarapur Bridge RD-45316m	210.550				
	e)	Bharat Nagar Bridge RD-51237m	207.950	207.925	2138		
	f)	Timarpur Bridge RD-56704m	205.800	205.775	2289		
(D)	TRU	JNK DRAIN N0.1 (8.00 Hrs.)					
	a)	R.D.6550 M.	N/A				
	b)	RD. 8950 M.	203.70				
	c)	RD.10330M	203.80				
(E)	RD-	ILLA REGULATOR (8.00 Hrs.) 5800M	198.300	197.800			
(F)	GHA	AZIPUR DRAIN (8.00 Hrs.)					
	a)	RD.6157M.	N/A				
		L	1	<u> </u>	1	<u> </u>	I.

Copy forwarded for kind information to:

- 1. Pr. Secretary to Hon'ble Lieutenant Governor of Delhi.
- 2. Spl. Secretary to Hon'ble Chief Minister Delhi.
- 3. Ms. BansuriSwaraj, Hon'ble MP, H-4 Dhawandeep Building, 6 JantarMantar Road Delhi NCT of Delhi.
- 4. Shri Praveen Khandelwal, Hon'ble MP, C-89 Ground Floor AnandNiketan South MotiBagh South West Delhi NCT of Delhi 110021.
- 5. Shri Ramvir Singh Bidhuri, Hon'ble MP, 1, ZalimMohalla, Tughlakabad Village, City New Delhi, NCT of Delhi 110044.
- 6. Smt. KamaljeetSehrawat, Hon'ble MP, Plot No- 28-29 Nanda Enclave, Sector-19, Dwarka, Amber Hai South West Delhi NCT of Delhi 110075.
- 7. Shri Harsh Malhotra, Hon'ble MP, H -31 Naveen Shadaradelhi NCT of Delhi 110032.
- 8. Shri Manoj Kumar Tiwari, Hon'ble MP, Flat No. 1603/1604, Shiv Shakti Apartment, Sundervan, Andheri West, Mumbai-400053,
- 9. Shri YogenderChandolia, Hon'ble MP, House No.5528, Street No.74, RaigarPura, Karol Bagh Central Delhi delhi NCT of Delhi 110005.
- 10. Secretary to Shri Pravesh Sahib SinghHon'ble Minister of Public Works Department, Legislative Affairs, Irrigation & Flood Control, Water and Gurudwara Elections, Govt. of NCT of Delhi.
- 11. Secretary to Shri Ashish SoodHon'ble Minister of Home, Power, Urban Development, Education, Higher Education, Training & Technical Education, Govt. of NCT of Delhi.
- 12. Secretary to Shri SardarManjinder Singh SirsaHon'ble Minister of Industries, Food & Supplies, Environment, Forest & Wild Life, Govt. of NCT of Delhi.
- 13. Secretary to Shri Ravinder SinghHon'ble Minister of Social Welfare, Welfare of SC & ST, Cooperative, Election, Govt. of NCT of Delhi.
- 14. Secretary to Sh. Kapil MishraHon'ble Minister of Law & justice, Labour, Employment, Development, Art, Culture & Language, Tourism, Govt. of NCT of Delhi.
- 15. Secretary to Dr.Pankaj Kumar SinghHon'ble Minister of Health & Family Welfare, Transport, Information Technology, Govt. of NCT of Delhi.
- 16. Chief Secretary, Govt. of NCT of Delhi, Delhi Secretariat, New Delhi.
- 17. Secretary, DM-1 (Border Management), Ministry of Home Affairs North Block, Govt. of India, New Delhi.
- 18. ACS (Revenue) cum Divisional Commissioner, 5 Sham Nath Marg, Delhi.
- 19. Chairman, Ganga Flood Control Commission, Ministry of Water Resources, SinchaiBhawan, 3rd Floor Patna-800015.
- 20. All ACS/Pr./Secretaries, Govt. of NCT of Delhi.
- 21. Commissioner, DMC, 4th Floor, SPM Marg, Civic Centre, JLN Marg, Minto Road, Delhi-02.
- 22. Commanding Officer, 17 Engineers Regiment, C/o 56 APO, Delhi Cantt. Delhi.
- 23. Vice Chairman, Delhi Development Authority, VikasSadan, INA, New Delhi.
- 24. ACS (PWD), Govt. of NCT of Delhi, 5th Level, B-Wing, Delhi Secretariat, IP Estate, New Delhi.
- 25. Addl. Chief Secretary (I&FC), 2nd Floor, Delhi Secretariat, Govt. of NCT of Delhi.
- 26. CEO, Delhi Jal Board, Varunalaya Building, Jhandewalan, New Delhi.
- 27. Member (R.M) Central Water Commission, SewaBhawan, R.K. Puram, New Delhi.
- 28. OSD to Chief Secretary, Govt. of NCT of Delhi.
- 29. Director (DM-1), MHA, Govt. of India, LokNayakBhawan, Khan Market, Delhi.
- 30. Director (MP-1), Ganga Flood Control Commission, 3rd Floor, Patna-800015.
- 31. Chief Engineer (FM), CWC, Room No. 801 (N) SewaBhawan, R.K. Puram, New Delhi.
- 32. ACP, Command Room, Police Control Room, Police HQ, MSO Building, IP Estate New Delhi.
- 33. Joint Secretary (DM-1), Ministry of Home Affairs, North Block, Govt. of India, Delhi-01.
- 34. Information & Publicity Department, Govt. of Delhi, Civil Lines, Delhi.
- 35. DM (East) Delhi, L.M. Bund Office Complex, Shastri Nagar, Delhi-110031.
- 36. All Distt. Magistrates, Govt. of NCT of Delhi.
- 37. Member, Water Supply, Delhi Jal Board, Jhandewalan, New Delhi.
- 38. Member Drainage Delhi Jal Board, Varunalaya Building, Jhandewalan, New Delhi.
- 39. Engineer Member, Delhi Development Authority VikasSadan, INA, New Delhi.
- 40. Engineer-in-Chief, Public Work Department, Govt. of NCT of Delhi, M.S.O. Building, IP Estate, New Delhi.
- 41. Engineer-in-Chief, South Zone, MCD, Civic Centre, J.L. Nehru Marg, Minto Road, New Delhi-110002.
- 42. Engineer-in-Chief, North Zone, MCD, Civic Centre, J.L. Nehru Marg, Minto Road, New Delhi-110002.
- 43. Engineer-in-Chief, East Zone, MCD, UdhyogSadan, PatparGanj, Industrial Area, New Delhi.
- 44. Police Control Room, (Police Hq.), Jai Singh Road, New Delhi-110001.
- 45. Control Room, Delhi Traffic Police, VikasMinar, I.P. Estate, New Delhi.
- 46. Chief Engineer (I&F) Zone-I & II, Govt. of NCT of Delhi.
- 47. Chief Engineer (E&M-II), Delhi Jal Board, Civil Lines, Delhi.
- 48. Chief Engineer (Civil), 1501, 15th Floor, New Delhi Municipal Council of Delhi, Palika Kendra, Delhi.
- 49. Chief Engineer (Bridges), Northern Railway, Baroda House, New Delhi.

- 50. Chief Engineer, Okhla Head Works, U.P. Irrigation Deptt. Okhla, New Delhi.
- 51. Chief Engineer DSIIDC Govt. of NCT of Delhi, N-36, Bombay Life Building, Connaught Circus, Rajeev Chowk, Connaught Place, New Delhi, Delhi 110001.
- 52. Chief Engineer-I, DUSIB, PunarwasBhawan, I.P. Estate, New Delhi-110002.
- 53. Director (FM-I), CWC, R.K. Puram, New Delhi.
- 54. Director (UT), CWC, R.K. Puram, New Delhi.
- 55. Superintending Engineer (Haryana Irrigation), 3 Alipur Road, Delhi.
- 56. Superintending Engineer, FC-III (I&FC), Govt. of Delhi to kindly upload on website of the I&FC Department.
- 57. Superintending Engineer, FC-I, II, & IV, Govt. of Delhi.
- 58. Incharge, Flood Control Room, SDM PreetVihar, O/O D.M. (East), LM. Bund office Delhi.
- 59. SSW to CE-I/II (I&FC)Govt. of NCT of Delhi.
- 60. All Executive Engineers of I&FC Department, Govt. of NCT of Delhi.
- 61. Area Manager, Laxmi Nagar, Telephone, MTNL Near Radhu Palace, Scope Minar, East Guru Angad Nagar, Laxmi Nagar, Delhi-110092.
- 62. Natural Disaster Management Division, Room No. 147, KrishiBhawan, New Delhi.
- 63. Operation Control Room, DMRC, Shastri Park, Delhi.
- 64. Assistant Engineer-III, CD-XIV, I&FCD, Govt. of Delhi.

INCHARGE FLOOD CONTROL ROOM: L.M. BUND OFFICE COMPLEX, SHASTRI NAGARDELHI-110031.