

(III) GAUGE AND DISCHARGE DATA OF BENCHMARK SITES ON 24.06.2024

S. No.		Location	Gauge in Meters		Discharge in cusecs	Bench Mark for Danger/ Warning level	Remark
(A)	RIVER YAMUNA		U/S	D/S			
	a)	Tajewala/ Hathni Kund (16.00 Hrs.)			352.00	1 st warning – 1 lakh cusecs 2 nd warning – 3 lakhs cusecs 3 rd warning- 5 lakh cusecs	max in 24 hrs 352 cusecs
	b)	Old Rly Bridge (16.00 Hrs.) Highest Flood level recorded- 208.66m. in 2023 at ORB		201.81		Warning Level- 204.50 m. Danger Level- 205.33 m.	max 24 hrs - 201.81 m
(B)	RIVER SAHIBI						
	a)	Masani (08.00 Hrs.)	238.99	N/A			

(IV) GAUGE AND DISCHARGE DATA OF SOME IMPORTANT SITES ON 24.06.2024

S. No.		Location	Gauge in Meters		Discharge in cusecs	Bench Mark for Danger/ Warning level	Remark
(A)	RIVER YAMUNA		U/S	D/S			
	a)	Somb River (6 Hrs.)			Nil		
	b)	Palla (16.00 Hrs.)			N/A		
	c)	Jhangola (16.00 Hrs.)	N/A	N/A	N/A		
	d)	Jagatpur Bund (16.00 Hrs.)	N/A	N/A	N/A		
	e)	L.F. Bund RD. 5222 (8.00 Hrs.)	N/A	N/A	N/A		
		L.F. Bund RD.0 (8.00 Hrs.)	N/A	N/A	N/A		
	f)	Wazirabad Barrage (8.00 Hrs.)	203.67	202.51	N/A		
	g)	Yamuna Barrage	N/A	N/A	N/A		
	h)	Okhla Barrage (6.00 Hrs.)	200.90	194.60	354		
	i)	Shahadara Out fall drain (Atta Bridge) (8.00 Hrs.)	Below				
	j)	Jaitpur (Ali Drain) (8.00 Hrs.)	Below				
(B)	RIVER SAHIBI (8.00 Hrs.)			N/A			
	a)	Dadri Bridge N0. 1 Dadri Bridge No. 2	209.50	N/A	N/A	N/A	R/F – Nil
(C)	NAJAFGARH DRAIN (8.00 Hrs.)						
	a)	i) Dhansa Old Regulator RD-0	Dry	Dry	Nil		
		ii) Dhansa Old Regulator RD-0	Dry	Dry	Nil		R/F – Nil
		iii) Dhansa New Regulator RD-0	209.250		7		
	b)	Chhawla Bridge RD-17905m	N/A				
	c)	Kakraula Regulator RD-30100m	209.075	209.050			7 Gate Open & 4 Gate close
	d)	Basaidarapur Bridge RD-45316m	208.575				
	e)	Bharat Nagar Bridge RD-51237m	207.200	207.175	866		
	f)	Timarpur Bridge RD-56704m	204.075	204.050	905		
(D)	TRUNK DRAIN N0.1 (8.00 Hrs.)						
	a)	R.D.6550 M.	N/A				
	b)	RD. 8950 M.	N/A				
	c)	RD.10330M	N/A				
(E)	CHILLA REGULATOR (8.00 Hrs.) RD-5800M		198.00	197.900			
(F)	GHAZIPUR DRAIN (8.00 Hrs.)						
	a)	RD.6157M.	N/A				

INCHARGE FLOOD CONTROL ROOM:
L.M. BUND OFFICE COMPLEX, SHASTRI NAGAR
DELHI-110031.

District Magistrate (East) Delhi,
Nodal Officer, (Flood), L.M. Bund Office Complex,
Shastri Nagar, Delhi-110031.

Copy forwarded for information & necessary action to through e-mail:-

1. Pr. Secretary to Hon'ble Lieutenant Governor of Delhi.
2. Secretary to Hon'ble Chief Minister Delhi.
3. Secretary to Shri Gopal Rai Hon'ble Minister of Development General Administration Department Environment, Forest and Wild life, Govt. of NCT of Delhi.
4. Secretary to Shri Imran Hussain Hon'ble Minister of Food & Supply Election, Govt. of NCT of Delhi.
5. Secretary to Shri Kailash Gahlot Hon'ble Minister of Law, Justice and Legislative affairs Transport Administrative Reforms Information Technology Revenue Finance Planning Home and all other Departments not specifically allotted to any Minister, Govt. of NCT of Delhi.
6. Secretary to Hon'ble Minister of Gurudwara Elections SC & ST Social Welfare Cooperative Land & Building Labour Employment, Govt. of NCT of Delhi.
7. Secretary to Shri Saurabh Bharadwaj Hon'ble Minister of Vigilance Services Health Industries Urban Development Irrigation and Flood Control Water, Govt. of NCT of Delhi.
8. Secretary to Ms. Atishi Hon'ble Minister of Women and Child Development Education Tourism Art, Culture & Language Public Works Department Power , Govt. of NCT of Delhi.
9. Chief Secretary, Govt. of NCT of Delhi, Delhi Secretariat, New Delhi.
10. Secretary, DM-1 (Border Management), Ministry of Home Affairs North Block, Govt. of India, New Delhi.
11. Principal Secretary (Revenue) cum Divisional Commissioner, 5 Sham Nath Marg, Delhi.
12. Chairman, Ganga Flood Control Commission, Ministry of Water Resources, Sinchai Bhawan, 3rd Floor Patna-800015.
13. All Principal Secretaries, Govt. of NCT of Delhi.
14. Commissioner, DMC, 4th Floor, SPM Marg, Civic Centre, JLN Marg, Minto Road, Delhi-02.
15. Commanding Officer, 17 Engineers Regiment, C/o 56 APO, Delhi Cantt. Delhi.
16. Vice Chairman, Delhi Development Authority, Vikas Sadan, INA, New Delhi.
17. Pr. Secretary (PWD), Govt. of NCT of Delhi, 5th Level, B-Wing, Delhi Secretariat, IP Estate, New Delhi.
18. Addl. Chief Secretary (I&FC), 2nd Floor, Delhi Secretariat, Govt. of NCT of Delhi.
19. CEO, Delhi Jal Board, Varunalaya Building, Jhandewalan, New Delhi.
20. Member (R.M) Central Water Commission, Sewa Bhawan, R.K. Puram, New Delhi.
21. OSD to Chief Secretary, Govt. of NCT of Delhi.
22. Director (DM-1), MHA, Govt. of India, Lok Nayak Bhawan, Khan Market, Delhi.
23. Director (MP-1), Ganga Flood Control Commission, 3rd Floor, Patna-800015.
24. Chief Engineer (FM), CWC, Room No. 801 (N) Sewa Bhawan, R.K. Puram, New Delhi.
25. ACP, Command Room, Police Control Room, Police HQ, MSO Building, IP Estate New Delhi.
26. Joint Secretary (DM-1), Ministry of Home Affairs, North Block, Govt. of India, Delhi-01.
27. Information & Publicity Department, Govt. of Delhi, Civil Lines, Delhi.
28. All Distt. Magistrates, Govt. of NCT of Delhi.
29. Member, Water Supply, Delhi Jal Board, Jhandewalan, New Delhi.
30. Member Drainage Delhi Jal Board, Varunalaya Building, Jhandewalan, New Delhi.
31. Engineer Member, Delhi Development Authority Vikas Sadan, INA, New Delhi.
32. Engineer-in-Chief, Public Work Department, Govt. of NCT of Delhi, M.S.O. Building, IP Estate, New Delhi.
33. Engineer-in-Chief, SDMC, Civic Centre, J.L. Nehru Marg, Minto Road, New Delhi-110002.
34. Engineer-in-Chief, NDMC, Civic Centre, J.L. Nehru Marg, Minto Road, New Delhi-110002.
35. Engineer-in-Chief, EDMC Udhyog Sadan, Patpar Ganj, Industrial Area, New Delhi.
36. Police Control Room, (Police Hq.), Jai Singh Road, New Delhi-110001.
37. Control Room, Delhi Traffic Police, Vikas Minar, I.P. Estate, New Delhi.
38. Chief Engineer (I&F) Zone-I & II, Govt. of NCT of Delhi.
39. Chief Engineer (E&M-II), Delhi Jal Board, Civil Lines, Delhi.
40. Chief Engineer (Civil), 1501, 15th Floor, New Delhi Municipal Council of Delhi, Palika Kendra, Delhi.
41. Chief Engineer (Bridges), Northern Railway, Baroda House, New Delhi.
42. Chief Engineer, Okhla Head Works, U.P. Irrigation Deptt. Okhla, New Delhi.
43. Chief Engineer DSIIDC Govt. of NCT of Delhi, N-36, Bombay Life Building, Connaught Circus, Rajeev Chowk, Connaught Place, New Delhi, Delhi 110001.
44. Chief Engineer-I, DUSIB, Punarwas Bhawan, I.P. Estate, New Delhi-110002.
45. Director (FM-I), CWC, R.K. Puram, New Delhi.
46. Director (UT), CWC, R.K. Puram, New Delhi.
47. Superintending Engineer (Haryana Irrigation), 3 Alipur Road, Delhi.
48. Superintending Engineer, FC-III (I&FC), Govt. of Delhi to kindly upload on website of the I&FC Department.
49. Superintending Engineer, FC-I, II, & IV, Govt. of Delhi.
50. Incharge, Flood Control Room, SDM Preet Vihar, O/O D.M. (East), LM. Bund office Delhi.
51. SSW to CE-I/II (I&FC) Govt. of NCT of Delhi.
52. All Executive Engineers of Flood Control Department, Govt. of NCT of Delhi.
53. Area Manager, Laxmi Nagar, Telephone, MTNL Near Radhu Palace, Scope Minar, East Guru Angad Nagar, Laxmi Nagar, Delhi-110092.
54. Natural Disaster Management Division, Room No. 147, Krishi Bhawan, New Delhi.
55. Operation Control Room, DMRC, Shastri Park, Delhi.
56. Assistant Engineer-III/IV, CD-XIV, Flood Control Department, Govt. of Delhi.

**INCHARGE FLOOD CONTROL ROOM:
L.M. BUND OFFICE COMPLEX, SHASTRI NAGAR DELHI-110031.**