



**CENTRAL FLOOD CONTROL ROOM**  
**IRRIGATION & FLOOD CONTROL DEPARTMENT**  
**GOVERNMENT OF NCT OF DELHI**  
**L.M. BUND OFFICE COMPLEX, SHASTRI NAGAR, DELHI-110031.**  
TEL. No. 21210867 & 9958806142, 9958806172  
Email : [ceifcd@gmail.com](mailto:ceifcd@gmail.com), [ifcfci@gmail.com](mailto:ifcfci@gmail.com), [ifccdxiv@gmail.com](mailto:ifccdxiv@gmail.com)



**DAILY REPORT OF WEATHER AND FLOOD SITUATION**

**Date: 29.06.2025 at 17.00 Hrs.**

**(I) BRIEF SUMMARY:**

|   |                  |          |              |          |                   |  |
|---|------------------|----------|--------------|----------|-------------------|--|
| A | Details of pumps |          |              |          |                   |  |
|   | Permanent        |          | Mobile pumps |          | Contractual pumps |  |
|   | Total            | Operated | Total        | Operated | Operated          |  |
|   | 42               | 25       | 162          | 11       | 0                 |  |

|   |                                                             |    |                              |                            |          |            |
|---|-------------------------------------------------------------|----|------------------------------|----------------------------|----------|------------|
| B | Detail of Complaints received in Central Flood Control Room |    |                              |                            |          |            |
|   | Received                                                    |    | Transfer to other department | Related to I&FC Department |          |            |
|   |                                                             |    |                              | Total                      | Resolved | Unresolved |
|   | Today                                                       | 0  | 0                            | 0                          | 0        | 0          |
|   | Till date                                                   | 11 | 5                            | 6                          | 4        | 2          |

|   |                                       |                               |                                      |         |
|---|---------------------------------------|-------------------------------|--------------------------------------|---------|
| C | Status of action at Vulnerable points |                               |                                      |         |
|   | Total Nos.                            | Nos. at which action required | Description of action with locations | Remarks |
|   | 17                                    | -                             | -                                    |         |

|   |                           |          |
|---|---------------------------|----------|
| D | Details of boats deployed |          |
|   | Total Available           | Deployed |
|   | 40                        | 26       |

|   |                    |  |
|---|--------------------|--|
| E | Flood Forecast No. |  |
|   | Ref.               |  |
|   | NIL                |  |

**(II) WEATHER REPORT (As provided by I.M.D)**

|        |                          |                        |                                            |                |                   |                |
|--------|--------------------------|------------------------|--------------------------------------------|----------------|-------------------|----------------|
| A      | Rainfall Forecast        |                        |                                            |                |                   |                |
| S. No. | Basin Name               | Sub-basin Name         | Intensity (I) and Spatial Distribution (D) |                |                   |                |
|        |                          |                        | (29/06/2025)                               |                | (30/06/2025)      |                |
|        |                          |                        | Intensity                                  | No of location | Intensity         | No of location |
| 1      | Upper Yamuna Catchment   | Yamuna upto Hathnikund | Moderate Rainfall                          | At most places | Moderate Rainfall | At most places |
| 2      | Lower Yamuna Catchment-I | Yamuna upto Mathura    | Moderate Rainfall                          | At most places | Moderate Rainfall | At most places |
| 3      | Sahibi Nadi Catchment    | Sahibi Nadi            | Moderate Rainfall                          | At most places | Moderate Rainfall | At most places |

|                                        |                                               |        |
|----------------------------------------|-----------------------------------------------|--------|
| B                                      | Rainfall in New Delhi, Safdarjung (SFD) in mm |        |
| During Last 24 Hrs                     |                                               | Trace  |
| Till Date from 1st June, 2025          |                                               | 93.1   |
| Normal (Till Date from 1st June, 2025) |                                               | 66.7   |
| Annual Average                         |                                               | 648.90 |

**LOCAL FORECAST FOR DELHI & NEIGHBOURHOOD:**  
GENERALLY CLOUDY SKY. LIGHT TO MODERATE RAIN/THUNDERSTORM/ LIGHTNING ACCOMPANIED WITH GUSTY WIND (SPEED 30-40 KMPH) DURING THUNDERSTORM.TODAY'S MAXIMUM AND TOMORROW'S MINIMUM TEMPERATURES WOULD BE AROUND 34 AND 26 DEGREE CELSIUS RESPECTIVELY.

(III) GAUGE AND DISCHARGE DATA OF BENCHMARK SITES ON 29.06.2025

| S. No. |              | Location                          | Gauge in Meters |     | Discharge in cusecs | Bench Mark for Danger/Warning level                                                                                           | Remark                                                |
|--------|--------------|-----------------------------------|-----------------|-----|---------------------|-------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|
| (A)    | RIVER YAMUNA |                                   | U/S             | D/S |                     |                                                                                                                               |                                                       |
|        | a)           | Tajewala/Hathni Kund (16.00 Hrs.) |                 |     | 2110                | 1 <sup>st</sup> warning – 1 lakh cusecs<br>2 <sup>nd</sup> warning – 3 lakhs cusecs<br>3 <sup>rd</sup> warning- 5 lakh cusecs | Max in 24 hrs 11225                                   |
|        | b)           | Old Rly Bridge (16.00 Hrs.)       | 202.04          |     |                     | Warning Level- 204.50 m.<br>Danger Level- 205.33 m.                                                                           | Highest Flood level recorded- 208.66m. in 2023 at ORB |
| (B)    | RIVER SAHIBI |                                   |                 |     |                     |                                                                                                                               |                                                       |
|        | a)           | Masani (08.00 Hrs.)               | 238.99          |     |                     |                                                                                                                               | R/F-NIL                                               |

(IV) GAUGE AND DISCHARGE DATA OF SOME IMPORTANT SITES ON 29.06.2025

| S. No. |                                          | Location                                           | Gauge in Meters |         | Discharge in cusecs | Bench Mark for Danger/Warning level | Remark       |
|--------|------------------------------------------|----------------------------------------------------|-----------------|---------|---------------------|-------------------------------------|--------------|
| (A)    | RIVER YAMUNA                             |                                                    | U/S             | D/S     |                     |                                     |              |
|        | a)                                       | Somb River (6 Hrs.)                                | 7122            |         |                     |                                     |              |
|        | b)                                       | Palla (16.00 Hrs.)                                 | 208.400         |         |                     |                                     |              |
|        | c)                                       | Jhangola (16.00 Hrs.)                              | 206.500         |         |                     |                                     |              |
|        | d)                                       | Jagatpur Bund (16.00 Hrs.)                         | 205.700         |         |                     |                                     |              |
|        | e)                                       | L.F. Bund RD. 5222 (8.00 Hrs.)                     | DRY             |         |                     |                                     |              |
|        |                                          | L.F. Bund RD.0 (8.00 Hrs.)                         | DRY             |         |                     |                                     |              |
|        | f)                                       | Wazirabad Barrage (8.00 Hrs.)                      | 205.59          | 203.30  | 4866                |                                     |              |
|        | g)                                       | Yamuna Barrage                                     | N/A             | N/A     | N/A                 |                                     |              |
|        | h)                                       | Okhla Barrage (6.00 Hrs.)                          | 201.35          | 195.05  | 3793                |                                     |              |
|        | i)                                       | Shahadara Out fall drain (Atta Bridge) (8.00 Hrs.) | Below           |         |                     |                                     |              |
|        | j)                                       | Jaitpur (Ali Drain) (8.00 Hrs.)                    | Below           |         |                     |                                     |              |
| (B)    | RIVER SAHIBI (8.00 Hrs.)                 |                                                    |                 |         |                     |                                     |              |
|        | a)                                       | Dadri Bridge NO. 1<br>Dadri Bridge No. 2           | 210.30          |         |                     |                                     | R/F-NIL      |
| (C)    | NAJAFGARH DRAIN (8.00 Hrs.)              |                                                    |                 |         |                     |                                     |              |
|        | a)                                       | i) Dhansa Old Regulator RD-0                       | DRY             | DRY     | NIL                 |                                     |              |
|        |                                          | ii) Dhansa Old Regulator RD-0                      | DRY             | DRY     | NIL                 |                                     |              |
|        |                                          | iii) Dhansa New Regulator RD-0                     | 209.500         | 209.400 | 103                 |                                     | R/F-15.2mm   |
|        | b)                                       | Chhawla Bridge RD-17905m                           | 209.250         |         |                     |                                     |              |
|        | c)                                       | Kakraula Regulator RD-30100m                       | 209.150         | 209.150 |                     |                                     | 11 Gate Open |
|        | d)                                       | Basaidarapur Bridge RD-45316m                      | 209.000         | 209.000 |                     |                                     |              |
|        | e)                                       | Bharat Nagar Bridge RD-51237m                      | 207.275         | 207.250 | 961                 |                                     |              |
|        | f)                                       | Timarpur Bridge RD-56704m                          | 204.125         | 204.100 | 1074                |                                     |              |
| (D)    | TRUNK DRAIN N0.1 (8.00 Hrs.)             |                                                    |                 |         |                     |                                     |              |
|        | a)                                       | R.D.6550 M.                                        | N/A             |         |                     |                                     |              |
|        | b)                                       | RD. 8950 M.                                        | 203.70          |         |                     |                                     |              |
|        | c)                                       | RD.10330M                                          | 203.80          |         |                     |                                     |              |
| (E)    | CHILLA REGULATOR (8.00 Hrs.)<br>RD-5800M |                                                    | 198.00          | 197.900 |                     |                                     |              |
| (F)    | GHAZIPUR DRAIN (8.00 Hrs.)               |                                                    |                 |         |                     |                                     |              |
|        | a)                                       | RD.6157M.                                          | N/A             |         |                     |                                     |              |

INCHARGE FLOOD CONTROL ROOM:  
L.M. BUND OFFICE COMPLEX, SHASTRI NAGAR  
DELHI-110031.

District Magistrate (East) Delhi,  
Nodal Officer, (Flood), L.M. Bund Office Complex,  
Shastri Nagar, Delhi-110031.

Copy forwarded for kind information to:

1. Pr. Secretary to Hon'ble Lieutenant Governor of Delhi.
2. Spl. Secretary to Hon'ble Chief Minister Delhi.
3. Ms. Bansuri Swaraj, Hon'ble MP, H-4 Dhawandeep Building, 6 Jantar Mantar Road Delhi NCT of Delhi.
4. Shri Praveen Khandelwal, Hon'ble MP, C-89 Ground Floor Anand Niketan South Moti Bagh South West Delhi NCT of Delhi 110021.
5. Shri Ramvir Singh Bidhuri, Hon'ble MP, 1, Zalim Mohalla, Tughlakabad Village, City New Delhi, NCT of Delhi 110044.
6. Smt. Kamaljeet Sehrawat, Hon'ble MP, Plot No- 28-29 Nanda Enclave, Sector-19, Dwarka, Amber Hai South West Delhi NCT of Delhi 110075.
7. Shri Harsh Malhotra, Hon'ble MP, H -31 Naveen Shadara delhi NCT of Delhi 110032.
8. Shri Manoj Kumar Tiwari, Hon'ble MP, Flat No. 1603/1604, Shiv Shakti Apartment, Sundervan, Andheri West, Mumbai-400053,
9. Shri Yogender Chandolia, Hon'ble MP, House No.5528, Street No.74, Raigar Pura, Karol Bagh Central Delhi delhi NCT of Delhi - 110005.
10. Secretary to Shri Pravesh Sahib Singh Hon'ble Minister of Public Works Department, Legislative Affairs, Irrigation & Flood Control, Water and Gurudwara Elections, Govt. of NCT of Delhi.
11. Secretary to Shri Ashish Sood Hon'ble Minister of Home, Power, Urban Development, Education, Higher Education, Training & Technical Education, Govt. of NCT of Delhi.
12. Secretary to Shri Sardar Manjinder Singh Sirsa Hon'ble Minister of Industries, Food & Supplies, Environment, Forest & Wild Life, Govt. of NCT of Delhi.
13. Secretary to Shri Ravinder Singh Hon'ble Minister of Social Welfare, Welfare of SC & ST, Cooperative, Election, Govt. of NCT of Delhi.
14. Secretary to Sh. Kapil Mishra Hon'ble Minister of Law & justice, Labour, Employment, Development, Art, Culture & Language, Tourism, Govt. of NCT of Delhi.
15. Secretary to Dr. Pankaj Kumar Singh Hon'ble Minister of Health & Family Welfare, Transport, Information Technology, Govt. of NCT of Delhi.
16. Chief Secretary, Govt. of NCT of Delhi, Delhi Secretariat, New Delhi.
17. Secretary, DM-1 (Border Management), Ministry of Home Affairs North Block, Govt. of India, New Delhi.
18. ACS (Revenue) cum Divisional Commissioner, 5 Sham Nath Marg, Delhi.
19. Chairman, Ganga Flood Control Commission, Ministry of Water Resources, Sinchai Bhawan, 3rd Floor Patna-800015.
20. All ACS/Pr./Secretaries, Govt. of NCT of Delhi.
21. Commissioner, DMC, 4th Floor, SPM Marg, Civic Centre, JLN Marg, Minto Road, Delhi-02.
22. Commanding Officer, 17 Engineers Regiment, C/o 56 APO, Delhi Cantt. Delhi.
23. Vice Chairman, Delhi Development Authority, Vikas Sadan, INA, New Delhi.
24. ACS (PWD), Govt. of NCT of Delhi, 5th Level, B-Wing, Delhi Secretariat, IP Estate, New Delhi.
25. Addl. Chief Secretary (I&FC), 2<sup>nd</sup> Floor, Delhi Secretariat, Govt. of NCT of Delhi.
26. CEO, Delhi Jal Board, Varunalaya Building, Jhandewalan, New Delhi.
27. Member (R.M) Central Water Commission, Sewa Bhawan, R.K. Puram, New Delhi.
28. OSD to Chief Secretary, Govt. of NCT of Delhi.
29. Director (DM-1), MHA, Govt. of India, Lok Nayak Bhawan, Khan Market, Delhi.
30. Director (MP-1), Ganga Flood Control Commission, 3rd Floor, Patna-800015.
31. Chief Engineer (FM), CWC, Room No. 801 (N) Sewa Bhawan, R.K. Puram, New Delhi.
32. ACP, Command Room, Police Control Room, Police HQ, MSO Building, IP Estate New Delhi.
33. Joint Secretary (DM-1), Ministry of Home Affairs, North Block, Govt. of India, Delhi-01.
34. Information & Publicity Department, Govt. of Delhi, Civil Lines, Delhi.
35. All Distt. Magistrates, Govt. of NCT of Delhi.
36. Member, Water Supply, Delhi Jal Board, Jhandewalan, New Delhi.
37. Member Drainage Delhi Jal Board, Varunalaya Building, Jhandewalan, New Delhi.
38. Engineer Member, Delhi Development Authority Vikas Sadan, INA, New Delhi.
39. Engineer-in-Chief, Public Work Department, Govt. of NCT of Delhi, M.S.O. Building, IP Estate, New Delhi.
40. Engineer-in-Chief, South Zone, MCD, Civic Centre, J.L. Nehru Marg, Minto Road, New Delhi-110002.
41. Engineer-in-Chief, North Zone, MCD, Civic Centre, J.L. Nehru Marg, Minto Road, New Delhi-110002.
42. Engineer-in-Chief, East Zone, MCD, Udhyog Sadan, Patpar Ganj, Industrial Area, New Delhi.
43. Police Control Room, (Police Hq.), Jai Singh Road, New Delhi-110001.
44. Control Room, Delhi Traffic Police, Vikas Minar, I.P. Estate, New Delhi.
45. Chief Engineer (I&F) Zone-I & II, Govt. of NCT of Delhi.
46. Chief Engineer (E&M-II), Delhi Jal Board, Civil Lines, Delhi.
47. Chief Engineer (Civil), 1501, 15th Floor, New Delhi Municipal Council of Delhi, Palika Kendra, Delhi.
48. Chief Engineer (Bridges), Northern Railway, Baroda House, New Delhi.

49. Chief Engineer, Okhla Head Works, U.P. Irrigation Deptt. Okhla, New Delhi.
50. Chief Engineer DSIIDC Govt. of NCT of Delhi, N-36, Bombay Life Building, Connaught Circus, Rajeev Chowk, Connaught Place, New Delhi, Delhi 110001.
51. Chief Engineer-I, DUSIB, Punarwas Bhawan, I.P. Estate, New Delhi-110002.
52. Director (FM-I), CWC, R.K. Puram, New Delhi.
53. Director (UT), CWC, R.K. Puram, New Delhi.
54. Superintending Engineer (Haryana Irrigation), 3 Alipur Road, Delhi.
55. Superintending Engineer, FC-III (I&FC), Govt. of Delhi to kindly upload on website of the I&FC Department.
56. Superintending Engineer, FC-I, II, & IV, Govt. of Delhi.
57. Incharge, Flood Control Room, SDM Preet Vihar, O/O D.M. (East), L.M. Bund office Delhi.
58. SSW to CE-I/II (I&FC) Govt. of NCT of Delhi.
59. All Executive Engineers of I&FC Department, Govt. of NCT of Delhi.
60. Area Manager, Laxmi Nagar, Telephone, MTNL Near Radhu Palace, Scope Minar, East Guru Angad Nagar, Laxmi Nagar, Delhi-110092.
61. Natural Disaster Management Division, Room No. 147, Krishi Bhawan, New Delhi.
62. Operation Control Room, DMRC, Shastri Park, Delhi.
63. Assistant Engineer-III, CD-XIV, I&FCD, Govt. of Delhi.

**INCHARGE FLOOD CONTROL ROOM:  
L.M. BUND OFFICE COMPLEX, SHASTRI NAGAR DELHI-110031.**